

**2018-2019 KPI - DEPARTMENT OF ENERGY WATER SUPPLY**

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	0	Count	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	25.6	km	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	NR	ML/day	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	1.5	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	46.5	per 1000 connections	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	0	per 1000 connections	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.072	000s	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.014	000s	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	756	\$/annum	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	0	ML	Internal transfer from Moura WTP
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	0.2	ML/day	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	21.5	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	10.4	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	4.4	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	0	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	36.9	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	37	ML	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	37	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Banana Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	1	Count	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	14.1	km	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	1.1	ML/day	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	1.2	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	58.5	per 1000 connections	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	0	per 1000 connections	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.156	000s	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.049	000s	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	4.9	per 1000 connections	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	788	\$/annum	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	117.6	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	0.7	ML/day	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	27.4	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	38.3	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	16.2	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	117.6	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	82.4	ML	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	117	ML	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	118	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Baralaba Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	1	Count	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	92.4	km	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	8.64	ML/day	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	18	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	32.5	per 100 km water main	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	81.3	per 1000 connections	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	8.9	per 1000 connections	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	2.202	000s	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.37	000s	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	1.2	per 1000 connections	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	722	\$/annum	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	1285.8	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	504.2	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	10.4	ML/day	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	702.4	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	710.4	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	199.8	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	1790	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	1617.3	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	yes	yes/no	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	1721	ML	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	1732	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	Awoonga Dam
Banana Shire Council	Biloela Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	0	Count	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	2.1	km	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	NR	ML/day	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	NR	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	0	per 1000 connections	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.028	000s	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.005	000s	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	722	\$/annum	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	0	ML	Internal transfer from Biloela WTP
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	0.4	ML/day	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	9.6	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	46.9	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	1.2	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	0	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	57.7	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	yes	yes/no	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	58	ML	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	58	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	Awoonga Dam
Banana Shire Council	Callide Dam Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	0	Count	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	5.2	km	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	NR	ML/day	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	0.2	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	58.1	per 100 km water main	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	71.4	per 1000 connections	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	0	per 1000 connections	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.035	000s	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.021	000s	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	788	\$/annum	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	0	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	8.1	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	0.1	ML/day	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	6.6	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	3.4	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	0.2	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	8.1	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	10.2	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	10	ML	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	10	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Goovigen Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	1	Count	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	35.9	km	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	7.2	ML/day	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	5.5	ML	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	2.8	per 100 km water main	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	58.5	per 1000 connections	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	7.9	per 1000 connections	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.879	000s	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.13	000s	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	21.8	per 1000 connections	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	756	\$/annum	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	518	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	2.6	ML/day	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	221.5	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	120.2	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	36.9	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	518	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	393.7	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	437	ML	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	464	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Moura Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	0	Count	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	32.1	km	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	NR	ML/day	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	1.6	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	6.2	per 100 km water main	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	48.8	per 1000 connections	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	13.1	per 1000 connections	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.414	000s	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.119	000s	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	522	\$/annum	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	7.6	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	234.3	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	1.4	ML/day	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	139.3	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	49	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	45.9	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	241.9	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	234.3	ML	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	235	ML	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	237	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Taroom Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	0	Count	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	16.7	km	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	NR	ML/day	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	0.3	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	6	per 100 km water main	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	151.3	per 1000 connections	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	19.7	per 1000 connections	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.132	000s	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.02	000s	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	722	\$/annum	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	0	ML	internal transfer from Biloela
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	0.3	ML/day	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	36.7	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	6.4	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	0.7	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	0	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	43.9	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	yes	yes/no	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	44	ML	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	44	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	Awoonga dam
Banana Shire Council	Thangool Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.4a	AS1	Num. water treatment plants: providing full treatment	1	Count	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.1	AS2	Length water mains	13.6	km	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.4b	AS47	Capacity of water treatment plants	1.75	ML/day	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.7	AS48	Tot. drinking water storage Vol.	1.2	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.5	AS8	Water main breaks per 100 km water main	7.3	per 100 km water main	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	38.9	per 1000 connections	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.7	CS17	Average frequency unplanned interruptions: water	3.5	per 1000 connections	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.13	CS2	Connected residential properties: water	0.209	000s	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.074	000s	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.1(value)	PR3	Fixed charge: water value	514	\$/annum	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.8	WA1	Vol. water sourced: surface water	162.7	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.5	WA201	Maximum daily demand	1	ML/day	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	55.5	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	42.4	ML	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.19	WA36	Vol. pot. water supplied: non-revenue	50	ML	Very High - Under investigation
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.12	WA7	Vol. water sourced	162.7	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	148.8	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	160	ML	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	168	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Theodore Water Supply	Potable water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.1	AS2	Length water mains	3.9	km	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG4.5	AS8	Water main breaks per 100 km water main	25.9	per 100 km water main	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	25.6	per 1000 connections	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.13	CS2	Connected residential properties: water	0.036	000s	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.003	000s	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG4.1(value)	PR3	Fixed charge: water value	666	\$/annum	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.8	WA1	Vol. water sourced: surface water	0	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	0	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.5	WA201	Maximum daily demand	0	ML/day	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	5.1	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	0.6	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	5.8	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG1.12	WA7	Vol. water sourced	5.8	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	3	ML	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	3	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Cracow Water	Raw-Partially treated water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.1	AS2	Length water mains	5.6	km	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG4.5	AS8	Water main breaks per 100 km water main	71	per 100 km water main	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.13	CS2	Connected residential properties: water	0.078	000s	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.024	000s	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG4.1(value)	PR3	Fixed charge: water value	756	\$/annum	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.8	WA1	Vol. water sourced: surface water	0	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.9a	WA2	Vol. water sourced: groundwater	16.3	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.5	WA201	Maximum daily demand	0.1	ML/day	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	5.8	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	2	ML	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG1.12	WA7	Vol. water sourced	16.3	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.4	WS4	Tot. anticipated water demand for next reporting year	12	ML	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.5	WS5	Tot. anticipated annual water demand in five years time	12	ML	Value calculated on minimal to no predicted population growth over the next 5 years
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.7	WS7	Planned supply system response	yes	yes/no	cart water
Banana Shire Council	Wowan Water	Raw-Partially treated water scheme	QG2.9	WS9	Water restrictions (severity)	NR	%	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.1	AS2	Length water mains	0.4	km	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.13	CS2	Connected residential properties: water	0	000s	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.002	000s	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG4.1(value)	PR3	Fixed charge: water value	0	\$/annum	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG4.1(text)	PR5	Fixed charge: water description	Usage charge	Text	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	NR	ML	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	NR	ML	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	NR	ML	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	1.5	ML	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.11	WA26	Vol. recycled sewage supplied: all	364.1	ML	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Biloela Recycled Water	Recycled water scheme	QG1.12	WA7	Vol. water sourced	364.1	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.1	AS2	Length water mains	0.3	km	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.13	CS2	Connected residential properties: water	0	000s	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.001	000s	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG4.1(value)	PR3	Fixed charge: water value	0	\$/annum	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG4.1(text)	PR5	Fixed charge: water description	Usage charge	Text	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	NR	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	NR	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	NR	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	2.9	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.11	WA26	Vol. recycled sewage supplied: all	168.5	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Moura Recycled Water	Recycled water scheme	QG1.12	WA7	Vol. water sourced	168.5	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.1	AS2	Length water mains	0	km	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.13	CS2	Connected residential properties: water	0	000s	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.002	000s	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG4.1(value)	PR3	Fixed charge: water value	0	\$/annum	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG4.1(text)	PR5	Fixed charge: water description	Usage charge	Text	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	NR	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	NR	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	NR	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	0	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.11	WA26	Vol. recycled sewage supplied: all	26	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Taroom Recycled Water	Recycled water scheme	QG1.12	WA7	Vol. water sourced	26	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.1	AS2	Length water mains	0.1	km	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG4.5	AS8	Water main breaks per 100 km water main	0	per 100 km water main	

Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.13	CS2	Connected residential properties: water	0	000s	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.14	CS3	Connected nonresidential properties: water	0.001	000s	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG4.10	CS9	Water quality complaints per 1000 connections	0	per 1000 connections	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG4.1(value)	PR3	Fixed charge: water value	0	\$/annum	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG4.1(text)	PR5	Fixed charge: water description	Usage charge	Text	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.17a	WA202	Vol. all pot. water supplied: residential	NR	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	NR	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	NR	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	1.2	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.11	WA26	Vol. recycled sewage supplied: all	44.1	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.9b	WA45	Vol. water sourced: imported (external)	0	ML	
Banana Shire Council	Theodore Recycled Water	Recycled water scheme	QG1.12	WA7	Vol. water sourced	44.1	ML	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG4.6	AS39	Sewerage mains breaks/chokes per 100 km sewer main	14.9	per 100 km sewer mains	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG1.3	AS4	Num. sewage treatment plants	1	Count	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG1.2	AS5	Length sewerage mains and channels	66.9	km	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG1.15	CS6	Connected residential properties: sewerage	2.127	000s	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG4.9	CS65	% CSS response target met: sewerage incidents	100	%	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG1.16	CS7	Connected nonresidential properties: sewerage	0.216	000s	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG4.2(value)	PR31	Fixed charge: sewerage value	635.5	\$/annum	
Banana Shire Council	Biloela Sewerage	Sewerage scheme	QG4.2(text)	PR40	Fixed charge: sewerage description	first connection	Text	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG4.6	AS39	Sewerage mains breaks/chokes per 100 km sewer main	19.2	per 100 km sewer mains	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG1.3	AS4	Num. sewage treatment plants	1	Count	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG1.2	AS5	Length sewerage mains and channels	31.2	km	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG1.15	CS6	Connected residential properties: sewerage	0.864	000s	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG4.9	CS65	% CSS response target met: sewerage incidents	100	%	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG1.16	CS7	Connected nonresidential properties: sewerage	0.081	000s	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG4.2(value)	PR31	Fixed charge: sewerage value	777.2	\$/annum	
Banana Shire Council	Moura Sewerage	Sewerage scheme	QG4.2(text)	PR40	Fixed charge: sewerage description	first connection	Text	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG4.6	AS39	Sewerage mains breaks/chokes per 100 km sewer main	0	per 100 km sewer mains	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG1.3	AS4	Num. sewage treatment plants	1	Count	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG1.2	AS5	Length sewerage mains and channels	18.5	km	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG1.15	CS6	Connected residential properties: sewerage	0.324	000s	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG4.9	CS65	% CSS response target met: sewerage incidents	100	%	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG1.16	CS7	Connected nonresidential properties: sewerage	0.111	000s	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG4.2(value)	PR31	Fixed charge: sewerage value	648.2	\$/annum	
Banana Shire Council	Taroom Sewerage	Sewerage scheme	QG4.2(text)	PR40	Fixed charge: sewerage description	first connection	Text	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG4.6	AS39	Sewerage mains breaks/chokes per 100 km sewer main	13.9	per 100 km sewer mains	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG1.3	AS4	Num. sewage treatment plants	1	Count	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG1.2	AS5	Length sewerage mains and channels	7.2	km	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	0	per 1000 connections	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG1.15	CS6	Connected residential properties: sewerage	0.188	000s	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG4.9	CS65	% CSS response target met: sewerage incidents	100	%	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG1.16	CS7	Connected nonresidential properties: sewerage	0.053	000s	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG4.2(value)	PR31	Fixed charge: sewerage value	700.8	\$/annum	
Banana Shire Council	Theodore Sewerage	Sewerage scheme	QG4.2(text)	PR40	Fixed charge: sewerage description	first connection	Text	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.4a	AS1	Num. water treatment plants: providing full treatment	4	Count	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.1	AS2	Length water mains	248	km	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.6	AS39	Sewerage mains breaks/chokes per 100 km sewer main	13.7	per 100 km sewer mains	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.3	AS4	Num. sewage treatment plants	4	Count	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.4b	AS47	Capacity of water treatment plants	18.69	ML/day	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.7	AS48	Tot. drinking water storage Vol.	29.5	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.2	AS5	Length sewerage mains and channels	123.8	km	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.5	AS8	Water main breaks per 100 km water main	17.3	per 100 km water main	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.11	CS13	Water and sewerage complaints (all) per 1000 connections	68.8	per 1000 connections	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.7	CS17	Average frequency unplanned interruptions: water	8.5	per 1000 connections	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.13	CS2	Connected residential properties: water	4.241	000s	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.14	CS3	Connected nonresidential properties: water	0.829	000s	



Organisation	Scheme	Scheme Type	KPI Code	Swim Code	Indicator Title	Value	Units	Comments
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.15	CS6	Connected residential properties: sewerage	3.503	000s	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.9	CS65	% CSS response target met: sewerage incidents	100	%	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.8	CS66	% CSS response target met: water incidents	100	%	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.16	CS7	Connected nonresidential properties: sewerage	0.461	000s	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.10	CS9	Water quality complaints per 1000 connections	5.1	per 1000 connections	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.9	FN1	Revenue: all (NPR) water	8544.06	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.6	FN10	Nominal written down replacement cost: fixed sewerage assets	42037.252	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.11	FN11	Costs: operating water per connection	1232.42	\$/connection	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.12	FN12	Costs: operating sewerage per connection	563.02	\$/connection	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.1	FN14	CAPEX: water supply	2317.536	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.2	FN15	CAPEX: sewerage	1525.133	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.10	FN2	Revenue: all (NPR) sewerage	3809.725	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.3	FN26	Capital works grants: water	408.888	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.4	FN27	Capital works grants: sewerage	430	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.7	FN74	Current replacement costs: fixed water assets	137256.532	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.8	FN75	Current replacement costs: fixed sewerage assets	80989.754	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.13	FN76	Costs: maintenance water	1811.937	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.14	FN77	Costs: maintenance sewerage	368.923	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.15	FN78	Current cost depreciation: water	3154.254	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.16	FN79	Current cost depreciation: sewerage	1531.766	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.17	FN80	Previous 5 year average annual renewals expenditure: water	2831.259	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.18	FN81	Previous 5 year average annual renewals expenditure: sewerage	729.195	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.19	FN82	Forecast 5 year average annual renewals expenditure: water	1883.138	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.20	FN83	Forecast 5 year average annual renewals expenditure: sewerage	1544.22	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG3.5	FN9	Nominal written down replacement cost: fixed water assets	86197.348	\$,000	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.1(value)	PR3	Fixed charge: water value	722	\$/annum	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.2(value)	PR31	Fixed charge: sewerage value	635.5	\$/annum	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.2(text)	PR40	Fixed charge: sewerage description	first connection	Text	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.3	PR47	Annual bill based on 200kL/a: water+sewerage	1719.5	\$	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.4	PR48	Typical residential bill: water+sewerage	2539.5	\$	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG4.1(text)	PR5	Fixed charge: water description	Fixed access plus 2 tiered usage charges	Text	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.8	WA1	Vol. water sourced: surface water	2091.7	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.9a	WA2	Vol. water sourced: groundwater	762.9	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.5	WA201	Maximum daily demand	17	ML/day	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.17a	WA202	Vol. all pot. water supplied: residential	1220.5	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.18a	WA203	Vol. all pot. water supplied: nonresidential	1027.3	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.17b	WA204	Vol. all non-pot. water supplied: residential	10.8	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.18b	WA205	Vol. all non-pot. water supplied: nonresidential	8.1	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.11	WA26	Vol. recycled sewage supplied: all	602.7	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.19	WA36	Vol. pot. water supplied: non-revenue	355.4	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.9b	WA45	Vol. water sourced: imported (external)	5.8	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.10	WA61	Vol. water sourced: desal. marine	NR	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.12	WA7	Vol. water sourced	3463.1	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.6	WA74	Vol. pot. water produced/supplied into water supply system	2625.1	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG1.20	WF1	Tot. full-time equivalent water+sewerage employees	41	FTEs	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.1	WS1	Months water supply remaining: 30 June	12	months	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.8	WS10	Water restrictions (duration)	0	days	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.2	WS2	Anticipated water availability to meet demand for next year	ok	ok/not ok	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.3	WS3	Available contingency supplies	no	yes/no	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.4	WS4	Tot. anticipated water demand for next reporting year	2833	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.5	WS5	Tot. anticipated annual water demand in five years time	2883	ML	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.6	WS6	Anticipated capacity to meet demand in 5 years time	ok	ok/not ok	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.7	WS7	Planned supply system response	yes	yes/no	
Banana Shire Council	Banana Shire Council WSP-wide	WSP	QG2.9	WS9	Water restrictions (severity)	NR	%	